

**Amendments to the claims:**

This listing of claims will replace all prior versions and listing of claims in the application:


**LISTING OF CLAIMS**

1. (currently amended) A urea/urethane polymer ~~comprising~~ consisting essentially of (a) repeating units derived from a hydroxy-terminated copolymer prepared from tetrahydrofuran and one or both of an alkylene oxide and a cyclic acetal, and (b) repeating units derived from a polyisocyanate;

wherein the urea/urethane polymer contains less than about 2 mole percent of urea units described by the formula  $-R - N(R^2) - C(O) - N(R^2) - R^1 -$ ;

wherein R is an aromatic hydrocarbon radical,  $R^1$  is an aliphatic hydrocarbon radical, and  $R^2$  is H or an amide group that is described by the formula  $-C(O) - N(R^2) - R -$ ; and

wherein the tetrahydrofuran is described by the formula



in which any one of the  $R^4$ 's is a  $C_1$  to  $C_4$  alkyl radical or hydrogen with the remaining  $R^4$ 's being hydrogen;

wherein the urea/urethane polymer comprises repeating units derived from an ionic compound or a potentially ionic compound;

wherein the polymer is ~~substantially free of~~ omits polyamine chain extenders; and

wherein said polyisocyanate ~~comprises~~ is selected from the group consisting of an aromatic polyisocyanates and mixtures thereof.

2. (original) A urea/urethane polymer according to Claim 1 wherein the polyisocyanate is selected from the group consisting of toluene diisocyanate, methylene diphenyldiisocyanate and polymethylene polyphenylisocyanate.

3. (original) A urea/urethane polymer according to Claim 1 wherein the alkylene oxide is selected from the group consisting of 1,2-propylene oxide and ethylene oxide.

4. (original) A urea/urethane polymer according to Claim 1 wherein the alkylene oxide is ethylene oxide.

5. (original) A urea/urethane polymer according to Claim 1 wherein each  $R^4$  in the tetrahydrofuran is hydrogen.

6. (original) A urea/urethane polymer according to Claim 1 wherein each  $R^4$  in the tetrahydrofuran is hydrogen, the hydroxy-terminated copolymer is prepared from an alkylene oxide, and the alkylene oxide is ethylene oxide.

7. (original) A urea/urethane polymer according to Claim 1 wherein the urea/urethane polymer contains less than about 1 mole percent of the described urea units.


8. (canceled)

9. (currently amended) An aqueous dispersion of a urea/urethane polymer ~~wherein the urea/urethane polymer comprises a polymer according to Claim 1 and a surfactant; wherein the urea/urethane polymer consists essentially of (a) repeating units derived from a hydroxy-terminated copolymer prepared from tetrahydrofuran and one or both of an alkylene oxide and a cyclic acetal, and (b) repeating units derived from a polyisocyanate;~~

wherein the urea/urethane polymer contains less than about 2 mole percent of urea units described by the formula  $-R - N(R^2) - C(O) - N(R^2) - R^1 -$ ;

wherein R is an aromatic hydrocarbon radical,  $R^1$  is an aliphatic hydrocarbon radical, and  $R^2$  is H or an amide group that is described by the formula  $-C(O) - N(R^2) - R -$ ; and

wherein the tetrahydrofuran is described by the formula



in which any one of the  $R^4$ s is a  $C_1$  to  $C_4$  alkyl radical or hydrogen with the remaining  $R^4$ s being hydrogen;

wherein the urea/urethane polymer comprises repeating units derived from an ionic compound or a potentially ionic compound;

wherein the polymer omits polyamine chain extenders; and

wherein said polyisocyanate is selected from the group consisting of aromatic polyisocyanates and mixtures thereof.

10. (currently amended) An ionomeric urea/urethane polymer ~~comprising~~ consisting essentially of (a) repeating units derived from an aliphatic polyether polyol having a molecular weight of about 700 to about 1500, and (b) repeating units derived from a polyisocyanate,

wherein the urea/urethane polymer contains less than about 2 mole percent of urea units described by the formula  $-R - N(R^2) - C(O) - N(R^2) - R^1 -$ ;

wherein R is an aromatic  $C_6 - C_{20}$  hydrocarbon radical,  $R^1$  is an aliphatic  $C_1 - C_{20}$  hydrocarbon radical, and  $R^2$  is H or an amide group that is described by the formula  $-C(O) - N(R^2) - R -$ ;

wherein the urea/urethane polymer comprises repeating units derived from an ionic compound or a potentially ionic compound;

wherein the polymer ~~is substantially free of~~ omits polyamine chain extenders; and

wherein said polyisocyanate ~~comprises~~ is selected from the group consisting of an aromatic polyisocyanates and mixtures thereof.

11. (canceled)

12. (previously presented) A urea/urethane polymer according to Claim 10 wherein the ionic compound or potentially ionic compound comprises a hydroxy-carboxylic acid of the general formula  $(HO)_x R^7 (COOH)_y$ , wherein  $R^7$  represents a straight or branched hydrocarbon radical containing 1 to 12 carbon atoms, and x and y each independently represents values from 1 to 3.

13. (previously presented) A urea/urethane polymer according to Claim 10 wherein the ionic compound or potentially ionic compound comprises 2,2' dimethanolpropionic acid.

14. (original) A urea/urethane polymer according to Claim 10 wherein the polyisocyanate is selected from the group consisting of toluene diisocyanate, methylene diphenyldiisocyanate and polymethylene polyphenylisocyanate.

15. (canceled)

16. (canceled)

17. (original) A urea/urethane polymer according to Claim 10 wherein the polyether polyol has a molecular weight in the range of about 900 to about 1150.
18. (original) A urea/urethane polymer according to Claim 10 wherein the urea/urethane polymer contains less than about 1 mole percent of the described urea units.
19. (currently amended) An aqueous dispersion of a ionomeric urea/urethane polymer ~~wherein the urea/urethane polymer comprises a polymer according to Claim 10 and a surfactant; wherein the ionomeric urea/urethane polymer consists essentially of (a) repeating units derived from an aliphatic polyether polyol having a molecular weight of about 700 to about 1500, and (b) repeating units derived from a polyisocyanate,~~  
wherein the urea/urethane polymer contains less than about 2 mole percent of urea units described by the formula  $-R - N(R^2) - C(O) - N(R^2) - R^1 -$ ;  
wherein R is an aromatic  $C_6 - C_{20}$  hydrocarbon radical,  $R^1$  is an aliphatic  $C_1 - C_{20}$  hydrocarbon radical, and  $R^2$  is H or an amide group that is described by the formula  $-C(O) - N(R^2) - R -$ ;  
wherein the urea/urethane polymer comprises repeating units derived from an ionic compound or a potentially ionic compound;  
wherein the polymer omits polyamine chain extenders; and  
wherein said polyisocyanate is selected from the group consisting of aromatic polyisocyanates and mixtures thereof.
- .